

L Number	Hits	Search Text	DB	Time stamp
1	503	sign\$3 near3 browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:14
2	328	sign\$3 near2 browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:15
3	216	(sign\$3 near2 browser) and digital\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:16
4	31	(sign\$3 near2 browser) with digital\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:17
5	31	((sign\$3 near2 browser) with digital\$2) not (browser near2 signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:18
6	13	((sign\$3 near2 browser) with digital\$2) not (browser same signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:21
7	30	signed adj3 browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:21
10	169	713/164.ccls.	USPAT; US-PGPUB	2004/04/28 11:44
11	21	713/164.ccls. and symmetric	USPAT; US-PGPUB	2004/04/28 11:44
12	71	713/173.ccls.	USPAT; US-PGPUB	2004/04/28 11:44
13	23	713/173.ccls. and symmetric	USPAT; US-PGPUB	2004/04/28 11:45
14	136	380/259.ccls.	USPAT; US-PGPUB	2004/04/28 11:45
15	42	380/259.ccls. and symmetric	USPAT; US-PGPUB	2004/04/28 11:46
16	16	(380/259.ccls. and symmetric ) and client and server	USPAT; US-PGPUB	2004/04/28 11:46
17	7	((380/259.ccls. and symmetric ) and client and server) and key adj (center repository database server)	USPAT; US-PGPUB	2004/04/28 11:47

-	1	6092201.pn.	USPAT; US-PGPUB	2004/04/27 14:06
-	24	key adj repository and client and server and symmetric and authenticat\$4 and application	USPAT; US-PGPUB	2004/04/27 14:07
-	19	(key adj repository and client and server and symmetric and authenticat\$4 and application ) and database	USPAT; US-PGPUB	2004/04/27 14:24
-	16	((key adj repository and client and server and symmetric and authenticat\$4 and application ) and database) and symmetric adj key	USPAT; US-PGPUB	2004/04/27 14:35
-	13	authenticat\$4 near3 (application program) same key adj2 (repository database storage center) same symmetric adj key	USPAT; US-PGPUB	2004/04/27 15:40
-	18	authenticat\$4 near3 (application program) same key adj2 (repository database storage center) and symmetric adj key	USPAT; US-PGPUB	2004/04/27 14:42
-	5	(authenticat\$4 near3 (application program) same key adj2 (repository database storage center) and symmetric adj key) not (authenticat\$4 near3 (application program) same key adj2 (repository database storage center) same symmetric adj key)	USPAT; US-PGPUB	2004/04/27 14:42
-	6809	authenticat\$4 near2 (application program process)	USPAT; US-PGPUB	2004/04/27 15:41
-	4537	authenticat\$4 adj (application program process)	USPAT; US-PGPUB	2004/04/27 15:41
-	550	authenticat\$4 adj (application)	USPAT; US-PGPUB	2004/04/27 15:41
-	334	authenticat\$4 adj (application) and encrypt\$3 and key	USPAT; US-PGPUB	2004/04/27 15:54
-	180	(authenticat\$4 adj (application) and encrypt\$3 and key) and client and server	USPAT; US-PGPUB	2004/04/27 15:55
-	1607	((authenticat\$4 adj (application) and encrypt\$3 and key) and client and server) symmetric adj key	USPAT; US-PGPUB	2004/04/27 15:42
-	34	((authenticat\$4 adj (application) and encrypt\$3 and key) and client and server) and symmetric adj key	USPAT; US-PGPUB	2004/04/27 15:42
-	25	((authenticat\$4 adj (application) and encrypt\$3 and key) and client and server) and symmetric adj key) not (key adj repository and client and server and symmetric and authenticat\$4 and application )	USPAT; US-PGPUB	2004/04/27 15:42
-	123	(authenticat\$4 adj (application) and encrypt\$3 and key) not authentication adj application	USPAT; US-PGPUB	2004/04/27 15:55
-	59	((authenticat\$4 adj (application) and encrypt\$3 and key) not authentication adj application) and client and server	USPAT; US-PGPUB	2004/04/27 16:00
-	28	(authenticat\$ and application).ti.	USPAT; US-PGPUB	2004/04/27 16:05
-	368	(authenticat\$ and application).ti.	EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:06
-	0	(authenticat\$4 adj (application)) not (authentication adj application).ti.	EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:09

-	346	((authenticat\$ and application).ti.) not (authentication adj application).ti.	EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:09
-	36	((authenticat\$ and application).ti.) not (authentication adj application).ti.) and encrypt\$4	EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:13
-	42	secure adj application with authenticat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:44
-	1	secure with pre-authorized with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:45
-	8	server with pre-authorized with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/27 16:46
-	3	server with pre-authorized with (program application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:13